

KTM

SX50 2005-2006

	Gabelfedern	Stoßdämpferfeder
<i>Standard Federn</i>	26-350-20	47-140-40
Fahrergewicht		
15-25 kg	1,8	35
25-35 kg	STD	STD
35-45 kg	2,2	45

SX50 2012-2013

	Gabelfedern	Stoßdämpferfeder
<i>Standard Federn</i>	295-330-20	47-130-35
Fahrergewicht		
15-25 kg	1,8	30
25-35 kg	STD	STD
35-45 kg	2,2	40

SX65 2002-2011

	Gabelfedern	Stoßdämpferfeder
<i>Standard Federn</i>	30-380-30	47-220-40
Fahrergewicht		
25-30 kg	2,4	N/A
30-35 kg	2,6	30
35-40 kg	2,8	35
40-45 kg	STD	STD
45-50 kg	3,2	45
50-55 kg	N/A	50
50-55 kg	N/A	N/A

SX85 2004-2005

	Gabelfedern	Stoßdämpferfedern
<i>Standard Federn</i>	38-425-30	59-220-40
Fahrergewicht		
30-35 kg	N/A	N/A
35-40 kg	2,4	30
40-45 kg	2,6	35
45-50 kg	STD	STD
50-55 kg	STD	STD
55-60 Kg	3,2	45
60-65 kg	3,4	50
65-70 kg	3,6	55
70-75 kg	3,8	60

SX85 2008-2013

	Gabelfedern	Stoßdämpferfedern
<i>Standard Federn</i>	38-425-34	59-220-35
Fahrergewicht		
30-35 kg	2,8	N/A
35-40 kg	3,0	30
40-45 kg	3,2	30
45-50 kg	STD	STD
50-55 kg	STD	STD
55-60 Kg	3,6	40
60-65 kg	3,8	45
65-70 kg	4,0	50
70-75 kg	N/A	55
75-80 kg	N/A	60

SX50 2006-2011

	Gabelfedern	Stoßdämpferfeder
<i>Standard Federn</i>	26-350-20	47-130-35
Fahrergewicht		
15-25 kg	1,8	30
25-35 kg	STD	STD
35-45 kg	2,2	40

SX65 2012-2013

	Gabelfedern	Stoßdämpferfeder
<i>Standard Federn</i>	295-370-28	47-220-40
Fahrergewicht		
25-30 kg	N/A	N/A
30-35 kg	2,4	30
35-40 kg	2,6	35
40-45 kg	STD	STD
45-50 kg	3,0	45
50-55 kg	3,2	50
50-55 kg	N/A	N/A

SX85 2006-2007

	Gabelfedern	Stoßdämpferfedern
<i>Standard Federn</i>	38-425-30	59-220-35
Fahrergewicht		
30-35 kg	2,4	N/A
35-40 kg	2,6	30
40-45 kg	2,8	30
45-50 kg	STD	STD
50-55 kg	STD	STD
55-60 Kg	3,2	40
60-65 kg	3,4	45
65-70 kg	3,6	50
70-75 kg	3,8	55

SX125 2004-2006

	Gabelfedern	Stoßdämpferfedern
<i>Standard Federn</i>	432-505-42	63-250-72
Fahrergewicht		
45-55 Kg	N/A	63
55-65 Kg	3,8	66
65-75 Kg	4,0	69
75-85 Kg	STD	STD
85-95 Kg	4,4	76
95-105 Kg	4,6	80
105-115 Kg	4,8	84
115-125 Kg	5,0	88

KTM

SX125 2007

Standard Federn	Gabelfedern	Stoßdämpferfedern
	435-455-42	63-250-60
Fahrergewicht		
45-55 Kg	N/A	54*
55-65 Kg	3,8	56*
65-75 Kg	4,0	58*
75-85 Kg	STD	STD
85-95 Kg	4,4	63
95-105 Kg	4,6	66
105-115 Kg	4,8	69
115-125 Kg	5,0	72

* Feder Nr. 63-260-xx verwenden

SX125/144 2008

Standard Federn	Gabelfedern	Stoßdämpferfedern
	435-485-42	63-250-60
Fahrergewicht		
45-55 Kg	N/A	54*
55-65 Kg	3,8	56*
65-75 Kg	4,0	58*
75-85 Kg	STD	STD
85-95 Kg	4,4	63
95-105 Kg	4,6	66
105-115 Kg	4,8	69
115-125 Kg	5,0	72

* Feder Nr. 63-260-xx verwenden

SX125/150 2009-2011

Standard Federn	Gabelfedern	Stoßdämpferfedern
	435-485-42	63-250-63
Fahrergewicht		
45-55 Kg	N/A	56*
55-65 Kg	3,8	58*
65-75 Kg	4,0	60*
75-85 Kg	STD	STD
85-95 Kg	4,4	66
95-105 Kg	4,6	69
105-115 Kg	4,8	72
115-125 Kg	5,0	76

* Feder Nr. 63-260-xx verwenden

SX125/150 2012-2013

Standard Federn	Gabelfedern	Stoßdämpferfedern
	435-485-42	63-260-48
Fahrergewicht		
45-55 Kg	N/A	N/A
55-65 Kg	3,8	44
65-75 Kg	4,0	46
75-85 Kg	STD	STD
85-95 Kg	4,4	50
95-105 Kg	4,6	52
105-115 Kg	4,8	54
115-125 Kg	5,0	56

SX250 2004-2006

Standard Federn	Gabelfedern	
	435-505-44	63-250-76
Fahrergewicht		
45-55 Kg	3,8	66
55-65 Kg	4,0	69
65-75 Kg	4,2	72
75-85 Kg	STD	STD
85-95 Kg	4,6	80
95-105 Kg	4,8	84
105-115 Kg	5,0	88
115-125 Kg	5,2	92

SX250 2007

Standard Federn	Gabelfedern	
	435-455-44	63-250-63
Fahrergewicht		
45-55 Kg	3,8	56*
55-65 Kg	4,0	58*
65-75 Kg	4,2	60*
75-85 Kg	STD	STD
85-95 Kg	4,6	66
95-105 Kg	4,8	69
105-115 Kg	5,0	72
115-125 Kg	5,0	76

* Feder Nr. 63-260-xx verwenden

SX250 2008

Standard Federn	435-485-44	63-250-66
	Fahrergewicht	
45-55 Kg	3,8	58*
55-65 Kg	4,0	60*
65-75 Kg	4,2	63
75-85 Kg	STD	STD
85-95 Kg	4,6	69
95-105 Kg	4,8	72
105-115 Kg	5,0	76
115-125 Kg	5,2	80

* Feder Nr. 63-260-xx verwenden



KTM

SX250 2009-2011

Standard Federn	435-485-44	63-250-69
Fahrergewicht		
45-55 Kg	3,8	60*
55-65 Kg	4,0	63
65-75 Kg	4,2	66
75-85 Kg	STD	STD
85-95 Kg	4,6	72
95-105 Kg	4,8	76
105-115 Kg	5,0	80
115-125 Kg	5,2	84

* Feder Nr. 63-260-xx verwenden

SX250 2012-2013

Standard Federn	435-485-44	63-260-54
Fahrergewicht		
45-55 Kg	3,8	48
55-65 Kg	4,0	50
65-75 Kg	4,2	52
75-85 Kg	STD	STD
85-95 Kg	4,6	56
95-105 Kg	4,8	58
105-115 Kg	5,0	60
115-125 Kg	5,2	63*

* Feder Nr. 63-250-xx verwenden

SX-F250 2004-2006

Standard Federn	435-505-44	63-250-76
Fahrergewicht		
45-55 Kg	3,8	66
55-65 Kg	4,0	69
65-75 Kg	4,2	72
75-85 Kg	STD	STD
85-95 Kg	4,6	80
95-105 Kg	4,8	84
105-115 Kg	5,0	88
115-125 Kg	5,2	92

SX-F250 2007

Standard Federn	435-455-44	63-250-63
Fahrergewicht		
45-55 Kg	3,8	56*
55-65 Kg	4,0	58*
65-75 Kg	4,2	60*
75-85 Kg	STD	STD
85-95 Kg	4,6	66
95-105 Kg	4,8	69
105-115 Kg	5,0	72
115-125 Kg	5,0	76

* Feder Nr. 63-260-xx verwenden

SX-F250 2008

Standard Federn	435-485-44	63-250-66
Fahrergewicht		
45-55 Kg	3,8	58*
55-65 Kg	4,0	60*
65-75 Kg	4,2	63
75-85 Kg	STD	STD
85-95 Kg	4,6	69
95-105 Kg	4,8	72
105-115 Kg	5,0	76
115-125 Kg	5,2	80

* Feder Nr. 63-260-xx verwenden

SX-F250 2009-2010

Standard Federn	435-485-44	63-250-69
Fahrergewicht		
45-55 Kg	3,8	60*
55-65 Kg	4,0	63
65-75 Kg	4,2	66
75-85 Kg	STD	STD
85-95 Kg	4,6	72
95-105 Kg	4,8	76
105-115 Kg	5,0	80
115-125 Kg	5,2	84

* Feder Nr. 63-260-xx verwenden

SX-F250 2011-2012

Standard Federn	435-485-44	63-260-54
Fahrergewicht		
45-55 Kg	3,8	48
55-65 Kg	4,0	50
65-75 Kg	4,2	52
75-85 Kg	STD	STD
85-95 Kg	4,6	56
95-105 Kg	4,8	58
105-115 Kg	5,0	60
115-125 Kg	5,2	63*

* Feder Nr. 63-250-xx verwenden

SX-F250 2013

Standard Federn	435-485-46	63-260-54
Fahrergewicht		
45-55 Kg	4,0	48
55-65 Kg	4,2	50
65-75 Kg	4,4	52
75-85 Kg	STD	STD
85-95 Kg	4,8	56
95-105 Kg	5,0	58
105-115 Kg	5,2	60
115-125 Kg	N/A	63*

* Feder Nr. 63-250-xx verwenden



KTM

SX-F350 2011-2012

Standard Federn	435-485-48	63-260-54
Fahrgewicht		
45-55 Kg	4,2	48
55-65 Kg	4,4	50
65-75 Kg	4,6	52
75-85 Kg	STD	STD
85-95 Kg	5,0	56
95-105 Kg	5,2	58
105-115 Kg	N/A	60
115-125 Kg	N/A	63*

* Feder Nr. 63-250-xx verwenden

SX-F450/525 2004-2006

Standard Federn	435-505-46	63-250-80
Fahrgewicht		
45-55 Kg	4,0	69
55-65 Kg	4,2	72
65-75 Kg	4,4	76
75-85 Kg	STD	STD
85-95 Kg	4,8	84
95-105 Kg	5,0	88
105-115 Kg	5,0	92
115-125 Kg	5,2	92

SX-F450/505 2008

Standard Federn	435-485-48	63-250-69
Fahrgewicht		
45-55 Kg	4,2	60*
55-65 Kg	4,4	63
65-75 Kg	4,6	66
75-85 Kg	STD	STD
85-95 Kg	5,0	72
95-105 Kg	5,2	76
105-115 Kg	N/A	80
115-125 Kg	N/A	84

* Feder Nr. 63-260-xx verwenden

SX-F450 2011-2012

Standard Federn	435-485-48	63-260-57
Fahrgewicht		
45-55 Kg	4,2	50
55-65 Kg	4,4	52
65-75 Kg	4,6	54
75-85 Kg	STD	STD
85-95 Kg	5,0	58
95-105 Kg	5,2	60
105-115 Kg	N/A	63*
115-125 Kg	N/A	66*

* Feder Nr. 63-250-xx verwenden

SX-F350 2013

Standard Federn	435-485-48	63-260-57
Fahrgewicht		
45-55 Kg	4,2	50
55-65 Kg	4,4	52
65-75 Kg	4,6	54
75-85 Kg	STD	STD
85-95 Kg	5,0	58
95-105 Kg	5,2	60
105-115 Kg	N/A	63*
115-125 Kg	N/A	66*

* Feder Nr. 63-250-xx verwenden

SX-F450/505 2007

Standard Federn	435-455-46	63-250-66
Fahrgewicht		
45-55 Kg	4,0	58*
55-65 Kg	4,2	60*
65-75 Kg	4,4	63
75-85 Kg	STD	STD
85-95 Kg	4,8	69
95-105 Kg	5,0	72
105-115 Kg	5,0	76
115-125 Kg	N/A	80

* Feder Nr. 63-260-xx verwenden

SX-F450/505 2009-2010

Standard Federn	435-485-48	63-250-72
Fahrgewicht		
45-55 Kg	4,2	63
55-65 Kg	4,4	66
65-75 Kg	4,6	69
75-85 Kg	STD	STD
85-95 Kg	5,0	76
95-105 Kg	5,2	80
105-115 Kg	N/A	84
115-125 Kg	N/A	88

SX-F450 2013

Standard Federn	435-485-50	63-260-57
Fahrgewicht		
45-55 Kg	4,2	50
55-65 Kg	4,4	52
65-75 Kg	4,6	54
75-85 Kg	STD	STD
85-95 Kg	5,2	58
95-105 Kg	5,2	60
105-115 Kg	N/A	63*
115-125 Kg	N/A	66*

* Feder Nr. 63-250-xx verwenden



KTM

EXC125/200 2005-2007

Standard Federn	435-505-40	63-250-72
Fahrergewicht		
45-55 Kg	N/A	63
55-65 Kg	N/A	66
65-75 Kg	3,8	69
75-85 Kg	STD	STD
85-95 Kg	4,2	76
95-105 Kg	4,4	80
105-115 Kg	4,6	84
115-125 Kg	4,8	88

EXC125/200 2008-2013

Standard Federn	435-505-40	63-250-66
Fahrergewicht		
45-55 Kg	N/A	58*
55-65 Kg	N/A	60*
65-75 Kg	3,8	63
75-85 Kg	STD	STD
85-95 Kg	4,2	69
95-105 Kg	4,4	72
105-115 Kg	4,6	76
115-125 Kg	4,8	80

* Feder Nr. 63-250-xx verwenden

EXC125/200 SIX DAYS 2013

Standard Federn	435-470-40	63-250-66
Fahrergewicht		
45-55 Kg	N/A	58*
55-65 Kg	3,6	60*
65-75 Kg	3,8	63
75-85 Kg	STD	STD
85-95 Kg	4,2	69
95-105 Kg	4,4	72
105-115 Kg	4,6	76
115-125 Kg	4,8	80

* Feder Nr. 63-260-xx verwenden

EXC250/300 2005-2007

Standard Federn	435-505-42	63-250-76
Fahrergewicht		
45-55 Kg	N/A	66
55-65 Kg	3,8	69
65-75 Kg	4,0	72
75-85 Kg	STD	STD
85-95 Kg	4,4	80
95-105 Kg	4,6	84
105-115 Kg	4,8	88
115-125 Kg	5,0	92

EXC250/300 2008-2013

Standard Federn	435-505-42	63-250-69
Fahrergewicht		
45-55 Kg	N/A	60*
55-65 Kg	3,8	63
65-75 Kg	4,0	66
75-85 Kg	STD	STD
85-95 Kg	4,4	72
95-105 Kg	4,6	76
105-115 Kg	4,8	80
115-125 Kg	5,0	84

* Feder Nr. 63-260-xx verwenden

EXC250/300 SIX DAYS 2013

Standard Federn	435-470-42	63-250-69
Fahrergewicht		
45-55 Kg	3,6	60*
55-65 Kg	3,8	63
65-75 Kg	4,0	66
75-85 Kg	STD	STD
85-95 Kg	4,4	72
95-105 Kg	4,6	76
105-115 Kg	4,8	80
115-125 Kg	5,0	84

* Feder Nr. 63-260-xx verwenden

EXC-F250 2005-2007

Standard Federn	435-505-42	63-250-76
Fahrergewicht		
45-55 Kg	N/A	66
55-65 Kg	3,8	69
65-75 Kg	4,0	72
75-85 Kg	STD	STD
85-95 Kg	4,4	80
95-105 Kg	4,6	84
105-115 Kg	4,8	88
115-125 Kg	5,0	92

EXC-F 250/350 2008-2013

Standard Federn	435-505-42	63-250-69
Fahrergewicht		
45-55 Kg	N/A	60*
55-65 Kg	3,8	63
65-75 Kg	4,0	66
75-85 Kg	STD	STD
85-95 Kg	4,4	72
95-105 Kg	4,6	76
105-115 Kg	4,8	80
115-125 Kg	5,0	84

* Feder Nr. 63-260-xx verwenden



KTM

EXC-F 250 SIX DAYS 2013

Standard Federn	435-470-42	63-250-69
Fahrgewicht		
45-55 Kg	3,6	60*
55-65 Kg	3,8	63
65-75 Kg	4,0	66
75-85 Kg	STD	STD
85-95 Kg	4,4	72
95-105 Kg	4,6	76
105-115 Kg	4,8	80
115-125 Kg	5,0	84

* Feder Nr. 63-260-xx verwenden

EXC-F 350 SIX DAYS 2013

Standard Federn	435-470-44	63-250-69
Fahrgewicht		
45-55 Kg	3,8	60*
55-65 Kg	4,0	63
65-75 Kg	4,2	66
75-85 Kg	STD	STD
85-95 Kg	4,6	72
95-105 Kg	4,8	76
105-115 Kg	5,0	80
115-125 Kg	5,2	84

* Feder Nr. 63-260-xx verwenden

EXC-F400/450/525 2005-2007

Standard Federn	435-505-44	63-250-80
Fahrgewicht		
45-55 Kg	3,8	69
55-65 Kg	4,0	72
65-75 Kg	4,2	76
75-85 Kg	STD	STD
85-95 Kg	4,6	84
95-105 Kg	4,8	88
105-115 Kg	5,0	92
115-125 Kg	5,2	92

EXC-F 400/450/530 2008-2011

Standard Federn	435-505-46	63-250-72
Fahrgewicht		
45-55 Kg	4,0	63
55-65 Kg	4,2	66
65-75 Kg	4,4	69
75-85 Kg	STD	STD
85-95 Kg	4,8	76
95-105 Kg	5,0	80
105-115 Kg	5,2	84
115-125 Kg	N/A	88

EXC-F 450/500 2012-2013

Standard Federn	435-505-44	63-250-72
Fahrgewicht		
45-55 Kg	3,8	63
55-65 Kg	4,0	66
65-75 Kg	4,2	69
75-85 Kg	STD	STD
85-95 Kg	4,6	76
95-105 Kg	4,8	80
105-115 Kg	5,0	84
115-125 Kg	5,2	88

EXC-F 450/500 SIX DAYS 2013

Standard Federn	435-470-46	63-250-72
Fahrgewicht		
45-55 Kg	4,0	63
55-65 Kg	4,2	66
65-75 Kg	4,4	69
75-85 Kg	STD	STD
85-95 Kg	4,8	76
95-105 Kg	5,0	80
105-115 Kg	5,2	84
115-125 Kg	N/A	88



WWW.S-TECH-RACING.DE