

## HUSQVARNA

| CR125 2008             |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 405-468-42  | 59/62-270-50     |
| Fahrergewicht          |             |                  |
| 40-45 KG               | N/A         | 44               |
| 45-55 Kg               | N/A         | 46               |
| 55-65 Kg               | N/A         | 48               |
| 65-75 Kg               | <b>STD</b>  | <b>STD</b>       |
| 75-85 Kg               | 4,4         | 52               |
| 85-95 Kg               | 4,6         | 54               |
| 95-105 Kg              | 5,0         | 56               |
| 105-115 Kg             | 5,0         | 58               |

| CR125 2009             |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 453-468-42  | 59/62-270-50     |
| Fahrergewicht          |             |                  |
| 40-45 KG               | N/A         | 44               |
| 45-55 Kg               | N/A         | 46               |
| 55-65 Kg               | N/A         | 48               |
| 65-75 Kg               | <b>STD</b>  | <b>STD</b>       |
| 75-85 Kg               | 4,4         | 52               |
| 85-95 Kg               | 4,6         | 54               |
| 95-105 Kg              | 5,0         | 56               |
| 105-115 Kg             | 5,0         | 58               |

| CR125 2010-2013        |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 435-455-44  | 59/62-270-50     |
| Fahrergewicht          |             |                  |
| 40-45 KG               | 3,8         | 44               |
| 45-55 Kg               | 4,0         | 46               |
| 55-65 Kg               | 4,2         | 48               |
| 65-75 Kg               | <b>STD</b>  | <b>STD</b>       |
| 75-85 Kg               | 4,6         | 52               |
| 85-95 Kg               | 4,8         | 54               |
| 95-105 Kg              | 5,0         | 56               |
| 105-115 Kg             | 5,0         | 58               |

| WR125 2008             |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 405-468-40  | 59/62-270-50     |
| Fahrergewicht          |             |                  |
| 40-45 KG               | N/A         | 44               |
| 45-55 Kg               | N/A         | 46               |
| 55-65 Kg               | N/A         | 48               |
| 65-75 Kg               | <b>STD</b>  | <b>STD</b>       |
| 75-85 Kg               | 4,2         | 52               |
| 85-95 Kg               | 4,4         | 54               |
| 95-105 Kg              | 4,6         | 56               |
| 105-115 Kg             | 4,8         | 58               |

| WR125 2009-2010        |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 453-468-40  | 59/62-270-50     |
| Fahrergewicht          |             |                  |
| 40-45 KG               | N/A         | 44               |
| 45-55 Kg               | N/A         | 46               |
| 55-65 Kg               | N/A         | 48               |
| 65-75 Kg               | <b>STD</b>  | <b>STD</b>       |
| 75-85 Kg               | 4,2         | 52               |
| 85-95 Kg               | 4,4         | 54               |
| 95-105 Kg              | 4,6         | 56               |
| 105-115 Kg             | 4,8         | 58               |

| WR125 2011-2013        |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 435-460-42  | 59/62-270-50     |
| Fahrergewicht          |             |                  |
| 40-45 KG               | 3,6         | 44               |
| 45-55 Kg               | 3,8         | 46               |
| 55-65 Kg               | 4,0         | 48               |
| 65-75 Kg               | <b>STD</b>  | <b>STD</b>       |
| 75-85 Kg               | 4,4         | 52               |
| 85-95 Kg               | 4,6         | 54               |
| 95-105 Kg              | 4,8         | 56               |
| 105-115 Kg             | 5,0         | 58               |

| CR250 2001-2004        |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 405-468-45  | 59/62-270-52     |
| Fahrergewicht          |             |                  |
| 45-55 Kg               | N/A         | 46               |
| 55-65 Kg               | N/A         | 48               |
| 65-75 Kg               | 4,2         | 50               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 4,6         | 54               |
| 95-105 Kg              | 4,8         | 56               |
| 105-115 Kg             | 5,0         | 58               |
| 115-125 Kg             | 5,0         | 60               |

| WR250 2001-2008        |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 405-468-42  | 59/62-270-54     |
| Fahrergewicht          |             |                  |
| 45-55 Kg               | N/A         | 48               |
| 55-65 Kg               | N/A         | 50               |
| 65-75 Kg               | N/A         | 52               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 4,4         | 56               |
| 95-105 Kg              | 4,6         | 58               |
| 105-115 Kg             | 4,8         | 60               |
| 115-125 Kg             | 5,0         | 62               |

**Hinweis:**

Fahrergewicht = Körpergewicht (ohne Kleidung)



WWW.S-TECH-RACING.DE

## HUSQVARNA

# Federraten/Fahrgewicht



| WR250 2009      |                           |                                  |
|-----------------|---------------------------|----------------------------------|
| Standard Federn | Gabelfedern<br>453-468-42 | Stoßdämpferfeder<br>59/62-270-54 |
| Fahrergewicht   |                           |                                  |
| 45-55 Kg        | N/A                       | 48                               |
| 55-65 Kg        | N/A                       | 50                               |
| 65-75 Kg        | N/A                       | 52                               |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg        | 4,4                       | 56                               |
| 95-105 Kg       | 4,6                       | 58                               |
| 105-115 Kg      | 4,8                       | 60                               |
| 115-125 Kg      | 5,0                       | 62                               |

| WR250 2010-2013 |                           |                                  |
|-----------------|---------------------------|----------------------------------|
| Standard Federn | Gabelfedern<br>435-460-42 | Stoßdämpferfeder<br>59/62-270-54 |
| Fahrergewicht   |                           |                                  |
| 45-55 Kg        | N/A                       | 48                               |
| 55-65 Kg        | N/A                       | 50                               |
| 65-75 Kg        | N/A                       | 52                               |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg        | 4,4                       | 56                               |
| 95-105 Kg       | 4,6                       | 58                               |
| 105-115 Kg      | 4,8                       | 60                               |
| 115-125 Kg      | 5,0                       | 62                               |

| TE250 2002-2007 |                           |                                  |
|-----------------|---------------------------|----------------------------------|
| Standard Federn | Gabelfedern<br>405-468-45 | Stoßdämpferfeder<br>59/62-270-50 |
| Fahrergewicht   |                           |                                  |
| 45-55 Kg        | N/A                       | 44                               |
| 55-65 Kg        | N/A                       | 46                               |
| 65-75 Kg        | 4,2                       | 48                               |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg        | 4,6                       | 52                               |
| 95-105 Kg       | 4,8                       | 54                               |
| 105-115 Kg      | 5,0                       | 56                               |
| 115-125 Kg      | 5,0                       | 58                               |

| TE250 2008-2009 |                           |                                  |
|-----------------|---------------------------|----------------------------------|
| Standard Federn | Gabelfedern<br>453-468-45 | Stoßdämpferfeder<br>59/62-270-54 |
| Fahrergewicht   |                           |                                  |
| 45-55 Kg        | N/A                       | 48                               |
| 55-65 Kg        | N/A                       | 50                               |
| 65-75 Kg        | 4,2                       | 52                               |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg        | 4,6                       | 56                               |
| 95-105 Kg       | 4,8                       | 58                               |
| 105-115 Kg      | 5,0                       | 60                               |
| 115-125 Kg      | 5,0                       | 62                               |

| TE250 2010-2013 |                           |                                  |
|-----------------|---------------------------|----------------------------------|
| Standard Federn | Gabelfedern<br>435-460-46 | Stoßdämpferfeder<br>59/62-270-52 |
| Fahrergewicht   |                           |                                  |
| 45-55 Kg        | 4,0                       | 46                               |
| 55-65 Kg        | 4,2                       | 48                               |
| 65-75 Kg        | 4,4                       | 50                               |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg        | 4,8                       | 54                               |
| 95-105 Kg       | 5,0                       | 56                               |
| 105-115 Kg      | 5,0                       | 58                               |
| 115-125 Kg      | N/A                       | 60                               |

| TC250 2003-2004 |                           |                                  |
|-----------------|---------------------------|----------------------------------|
| Standard Federn | Gabelfedern<br>405-468-45 | Stoßdämpferfeder<br>59/62-270-50 |
| Fahrergewicht   |                           |                                  |
| 45-55 Kg        | N/A                       | 44                               |
| 55-65 Kg        | N/A                       | 46                               |
| 65-75 Kg        | 4,2                       | 48                               |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg        | 4,6                       | 52                               |
| 95-105 Kg       | 4,8                       | 54                               |
| 105-115 Kg      | 5,0                       | 56                               |
| 115-125 Kg      | 5,0                       | 58                               |

| TC250 2005      |                           |                                  |
|-----------------|---------------------------|----------------------------------|
| Standard Federn | Gabelfedern<br>405-468-48 | Stoßdämpferfeder<br>59/62-270-54 |
| Fahrergewicht   |                           |                                  |
| 45-55 Kg        | 4,2                       | 48                               |
| 55-65 Kg        | 4,4                       | 50                               |
| 65-75 Kg        | 4,6                       | 52                               |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg        | 5,0                       | 56                               |
| 95-105 Kg       | N/A                       | 58                               |
| 105-115 Kg      | N/A                       | 60                               |
| 115-125 Kg      | N/A                       | 62                               |

| TC250 2006-2007 |                           |                                  |
|-----------------|---------------------------|----------------------------------|
| Standard Federn | Gabelfedern<br>405-468-48 | Stoßdämpferfeder<br>59/62-270-50 |
| Fahrergewicht   |                           |                                  |
| 45-55 Kg        | 4,2                       | 44                               |
| 55-65 Kg        | 4,4                       | 46                               |
| 65-75 Kg        | 4,6                       | 48                               |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg        | 5,0                       | 52                               |
| 95-105 Kg       | N/A                       | 54                               |
| 105-115 Kg      | N/A                       | 56                               |
| 115-125 Kg      | N/A                       | 58                               |

**Hinweis:**

Fahrgewicht = Körpergewicht (ohne Kleidung)



WWW.S-TECH-RACING.DE

**HUSQVARNA**

# Federraten/Fahrgewicht



| TC250 2008             |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 405-468-48  | 59/62-270-54     |
| <b>Fahrgewicht</b>     |             |                  |
| 45-55 Kg               | 4,2         | 48               |
| 55-65 Kg               | 4,4         | 50               |
| 65-75 Kg               | 4,6         | 52               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 5,0         | 56               |
| 95-105 Kg              | N/A         | 58               |
| 105-115 Kg             | N/A         | 60               |
| 115-125 Kg             | N/A         | 62               |

| TC250 2010-2013        |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 435-455-44  | 59/62-270-54     |
| <b>Fahrgewicht</b>     |             |                  |
| 45-55 Kg               | 3,8         | 48               |
| 55-65 Kg               | 4,0         | 50               |
| 65-75 Kg               | 4,2         | 52               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 4,6         | 56               |
| 95-105 Kg              | 4,8         | 58               |
| 105-115 Kg             | 5,0         | 60               |
| 115-125 Kg             | 5,0         | 62               |

| WR300 2009             |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 453-468-42  | 59/62-270-54     |
| <b>Fahrgewicht</b>     |             |                  |
| 45-55 Kg               | N/A         | 48               |
| 55-65 Kg               | N/A         | 50               |
| 65-75 Kg               | N/A         | 52               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 4,4         | 56               |
| 95-105 Kg              | 4,6         | 58               |
| 105-115 Kg             | 4,8         | 60               |
| 115-125 Kg             | 5,0         | 62               |

| WR300 2010-2013        |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 435-460-42  | 59/62-270-54     |
| <b>Fahrgewicht</b>     |             |                  |
| 45-55 Kg               | 3,6         | 48               |
| 55-65 Kg               | 3,8         | 50               |
| 65-75 Kg               | 4,0         | 52               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 4,4         | 56               |
| 95-105 Kg              | 4,6         | 58               |
| 105-115 Kg             | 4,8         | 60               |
| 115-125 Kg             | 5,0         | 62               |

| TE310 2009             |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 453-468-45  | 59/62-270-54     |
| <b>Fahrgewicht</b>     |             |                  |
| 45-55 Kg               | N/A         | 48               |
| 55-65 Kg               | N/A         | 50               |
| 65-75 Kg               | 4,2         | 52               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 4,6         | 56               |
| 95-105 Kg              | 4,8         | 58               |
| 105-115 Kg             | 5,0         | 60               |
| 115-125 Kg             | N/A         | 62               |

| TE310 2010-2013        |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 435-460-46  | 59/62-270-52     |
| <b>Fahrgewicht</b>     |             |                  |
| 45-55 Kg               | 4,0         | 46               |
| 55-65 Kg               | 4,2         | 48               |
| 65-75 Kg               | 4,4         | 50               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 4,8         | 54               |
| 95-105 Kg              | 5,0         | 56               |
| 105-115 Kg             | N/A         | 58               |
| 115-125 Kg             | N/A         | 60               |

| TE400/450 2001-2005    |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 405-468-45  | 59/62-270-52     |
| <b>Fahrgewicht</b>     |             |                  |
| 45-55 Kg               | N/A         | 46               |
| 55-65 Kg               | N/A         | 48               |
| 65-75 Kg               | 4,2         | 50               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 4,6         | 54               |
| 95-105 Kg              | 4,8         | 56               |
| 105-115 Kg             | 5,0         | 58               |
| 115-125 Kg             | N/A         | 60               |

| TE450 2006-2007        |             |                  |
|------------------------|-------------|------------------|
|                        | Gabelfedern | Stoßdämpferfeder |
| <i>Standard Federn</i> | 453-468-48  | 59/62-270-52     |
| <b>Fahrgewicht</b>     |             |                  |
| 45-55 Kg               | 4,2         | 46               |
| 55-65 Kg               | 4,4         | 48               |
| 65-75 Kg               | 4,6         | 50               |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg               | 5,0         | 54               |
| 95-105 Kg              | 5,0         | 56               |
| 105-115 Kg             | N/A         | 58               |
| 115-125 Kg             | N/A         | 60               |

**Hinweis:**

Fahrgewicht = Körpergewicht (ohne Kleidung)



WWW.S-TECH-RACING.DE

## HUSQVARNA

|                 |
|-----------------|
| TE450 2008-2009 |
|-----------------|

|            |
|------------|
| TE450 2010 |
|------------|

# Federraten/Fahrgewicht



|                        | Gabelfedern<br>453-468-45 | Stoßdämpferfeder<br>59/62-270-56 |
|------------------------|---------------------------|----------------------------------|
| <b>Standard Federn</b> |                           |                                  |
| <b>Fahrgewicht</b>     |                           |                                  |
| 45-55 Kg               | N/A                       | 50                               |
| 55-65 Kg               | N/A                       | 52                               |
| 65-75 Kg               | 4,2                       | 54                               |
| 75-85 Kg               | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg               | 4,6                       | 58                               |
| 95-105 Kg              | 4,8                       | 60                               |
| 105-115 Kg             | 5,0                       | 62                               |
| 115-125 Kg             | N/A                       | 64                               |

|                        | Gabelfedern<br>435-460-44 | Stoßdämpferfeder<br>59/62-270-56 |
|------------------------|---------------------------|----------------------------------|
| <b>Standard Federn</b> |                           |                                  |
| <b>Fahrgewicht</b>     |                           |                                  |
| 45-55 Kg               | 3,8                       | 50                               |
| 55-65 Kg               | 4,0                       | 52                               |
| 65-75 Kg               | 4,2                       | 54                               |
| 75-85 Kg               | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg               | 4,6                       | 58                               |
| 95-105 Kg              | 4,8                       | 60                               |
| 105-115 Kg             | 5,0                       | 62                               |
| 115-125 Kg             | N/A                       | 64                               |

| TE449 2011-2013        |                           |                                  |
|------------------------|---------------------------|----------------------------------|
|                        | Gabelfedern<br>435-460-46 | Stoßdämpferfeder<br>59/62-270-50 |
| <b>Standard Federn</b> |                           |                                  |
| <b>Fahrgewicht</b>     |                           |                                  |
| 45-55 Kg               | 4,0                       | 44                               |
| 55-65 Kg               | 4,2                       | 46                               |
| 65-75 Kg               | 4,4                       | 48                               |
| 75-85 Kg               | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg               | 4,8                       | 52                               |
| 95-105 Kg              | 5,0                       | 54                               |
| 105-115 Kg             | N/A                       | 56                               |
| 115-125 Kg             | N/A                       | 58                               |

| TC450 2002-2005        |                           |                                  |
|------------------------|---------------------------|----------------------------------|
|                        | Gabelfedern<br>405-468-48 | Stoßdämpferfeder<br>59/62-270-52 |
| <b>Standard Federn</b> |                           |                                  |
| <b>Fahrgewicht</b>     |                           |                                  |
| 45-55 Kg               | 4,2                       | 46                               |
| 55-65 Kg               | 4,4                       | 48                               |
| 65-75 Kg               | 4,6                       | 50                               |
| 75-85 Kg               | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg               | 5,0                       | 54                               |
| 95-105 Kg              | N/A                       | 56                               |
| 105-115 Kg             | N/A                       | 58                               |
| 115-125 Kg             | N/A                       | 60                               |

| TC450 2006-2007        |                           |                                  |
|------------------------|---------------------------|----------------------------------|
|                        | Gabelfedern<br>453-468-48 | Stoßdämpferfeder<br>59/62-270-50 |
| <b>Standard Federn</b> |                           |                                  |
| <b>Fahrgewicht</b>     |                           |                                  |
| 45-55 Kg               | 4,2                       | 44                               |
| 55-65 Kg               | 4,4                       | 46                               |
| 65-75 Kg               | 4,6                       | 48                               |
| 75-85 Kg               | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg               | 5,0                       | 52                               |
| 95-105 Kg              | N/A                       | 54                               |
| 105-115 Kg             | N/A                       | 56                               |
| 115-125 Kg             | N/A                       | 58                               |

| TC450 2008-2009        |                           |                                  |
|------------------------|---------------------------|----------------------------------|
|                        | Gabelfedern<br>453-468-50 | Stoßdämpferfeder<br>59/62-270-56 |
| <b>Standard Federn</b> |                           |                                  |
| <b>Fahrgewicht</b>     |                           |                                  |
| 45-55 Kg               | 4,4                       | 50                               |
| 55-65 Kg               | 4,6                       | 52                               |
| 65-75 Kg               | 4,8                       | 54                               |
| 75-85 Kg               | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg               | 5,0                       | 58                               |
| 95-105 Kg              | N/A                       | 60                               |
| 105-115 Kg             | N/A                       | 62                               |
| 115-125 Kg             | N/A                       | 64                               |

| TC450 2010             |                           |                                  |
|------------------------|---------------------------|----------------------------------|
|                        | Gabelfedern<br>435-455-48 | Stoßdämpferfeder<br>59/62-270-56 |
| <b>Standard Federn</b> |                           |                                  |
| <b>Fahrgewicht</b>     |                           |                                  |
| 45-55 Kg               | 4,2                       | 50                               |
| 55-65 Kg               | 4,4                       | 52                               |
| 65-75 Kg               | 4,6                       | 54                               |
| 75-85 Kg               | <b>STD</b>                | <b>STD</b>                       |
| 85-95 Kg               | 5,0                       | 58                               |
| 95-105 Kg              | 5,0                       | 60                               |
| 105-115 Kg             | N/A                       | 62                               |
| 115-125 Kg             | N/A                       | 64                               |



WWW.S-TECH-RACING.DE

**Hinweis:**

Fahrgewicht = Körpergewicht (ohne Kleidung)

## HUSQVARNA

| TC449 2011-2013 |                  |
|-----------------|------------------|
| Gabelfedern     | Stoßdämpferfeder |

| TE510 2004-2005 |                  |
|-----------------|------------------|
| Gabelfedern     | Stoßdämpferfeder |

# Federraten/Fahrergewicht



| Standard Federn | 435-455-48 | 59/62-270-50 |
|-----------------|------------|--------------|
| Fahrergewicht   |            |              |
| 45-55 Kg        | 4,2        | 44           |
| 55-65 Kg        | 4,4        | 46           |
| 65-75 Kg        | 4,6        | 48           |
| 75-85 Kg        | <b>STD</b> | <b>STD</b>   |
| 85-95 Kg        | 5,0        | 52           |
| 95-105 Kg       | 5,0        | 54           |
| 105-115 Kg      | N/A        | 56           |
| 115-125 Kg      | N/A        | 58           |

| Standard Federn | 405-468-48 | 59/62-270-54 |
|-----------------|------------|--------------|
| Fahrergewicht   |            |              |
| 45-55 Kg        | 4,2        | 48           |
| 55-65 Kg        | 4,4        | 50           |
| 65-75 Kg        | 4,6        | 52           |
| 75-85 Kg        | <b>STD</b> | <b>STD</b>   |
| 85-95 Kg        | 5,0        | 56           |
| 95-105 Kg       | N/A        | 58           |
| 105-115 Kg      | N/A        | 60           |
| 115-125 Kg      | N/A        | 62           |

| TE510 2006-2007 |             |                  |
|-----------------|-------------|------------------|
|                 | Gabelfedern | Stoßdämpferfeder |
| Standard Federn | 453-468-45  | 59/62-270-54     |
| Fahrergewicht   |             |                  |
| 45-55 Kg        | N/A         | 48               |
| 55-65 Kg        | N/A         | 50               |
| 65-75 Kg        | 4,2         | 52               |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg        | 4,6         | 56               |
| 95-105 Kg       | 4,8         | 58               |
| 105-115 Kg      | 5,0         | 60               |
| 115-125 Kg      | N/A         | 62               |

| TE510 2008-2009 |             |                  |
|-----------------|-------------|------------------|
|                 | Gabelfedern | Stoßdämpferfeder |
| Standard Federn | 453-468-45  | 59/62-270-56     |
| Fahrergewicht   |             |                  |
| 45-55 Kg        | N/A         | 50               |
| 55-65 Kg        | N/A         | 52               |
| 65-75 Kg        | 4,2         | 54               |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg        | 4,6         | 58               |
| 95-105 Kg       | 4,8         | 60               |
| 105-115 Kg      | 5,0         | 62               |
| 115-125 Kg      | N/A         | 64               |

| TE511 2010-2013 |             |                  |
|-----------------|-------------|------------------|
|                 | Gabelfedern | Stoßdämpferfeder |
| Standard Federn | 435-460-46  | 59/62-270-50     |
| Fahrergewicht   |             |                  |
| 45-55 Kg        | 4,0         | 44               |
| 55-65 Kg        | 4,2         | 46               |
| 65-75 Kg        | 4,4         | 48               |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg        | 4,8         | 52               |
| 95-105 Kg       | 5,0         | 54               |
| 105-115 Kg      | N/A         | 56               |
| 115-125 Kg      | N/A         | 58               |

| TC510 2005      |             |                  |
|-----------------|-------------|------------------|
|                 | Gabelfedern | Stoßdämpferfeder |
| Standard Federn | 405-468-48  | 59/62-270-54     |
| Fahrergewicht   |             |                  |
| 45-55 Kg        | 4,2         | 48               |
| 55-65 Kg        | 4,4         | 50               |
| 65-75 Kg        | 4,6         | 52               |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg        | 5,0         | 56               |
| 95-105 Kg       | N/A         | 58               |
| 105-115 Kg      | N/A         | 60               |
| 115-125 Kg      | N/A         | 62               |

| TC510 2006-2007 |             |                  |
|-----------------|-------------|------------------|
|                 | Gabelfedern | Stoßdämpferfeder |
| Standard Federn | 453-468-48  | 59/62-270-50     |
| Fahrergewicht   |             |                  |
| 45-55 Kg        | 4,2         | 44               |
| 55-65 Kg        | 4,4         | 46               |
| 65-75 Kg        | 4,6         | 48               |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg        | 5,0         | 52               |
| 95-105 Kg       | N/A         | 54               |
| 105-115 Kg      | N/A         | 56               |
| 115-125 Kg      | N/A         | 58               |

| TC510 2008-2009 |             |                  |
|-----------------|-------------|------------------|
|                 | Gabelfedern | Stoßdämpferfeder |
| Standard Federn | 453-468-50  | 59/62-270-56     |
| Fahrergewicht   |             |                  |
| 45-55 Kg        | 4,4         | 50               |
| 55-65 Kg        | 4,6         | 52               |
| 65-75 Kg        | 4,8         | 54               |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>       |
| 85-95 Kg        | 5,0         | 58               |
| 95-105 Kg       | N/A         | 60               |
| 105-115 Kg      | N/A         | 62               |
| 115-125 Kg      | N/A         | 64               |

**Hinweis:**

Fahrergewicht = Körpergewicht (ohne Kleidung)



WWW.S-TECH-RACING.DE

## HUSQVARNA (ab 2014)

| TC50 2018-2020         |             |                   |
|------------------------|-------------|-------------------|
|                        | Gabelfedern | Stoßdämpferfedern |
| <i>Standard Federn</i> | AER35       | 47-130-35         |
| Fahrgewicht            |             |                   |
| 15-25 kg               |             | 30                |
| 25-35 kg               | 2bar        | <b>STD</b>        |
| 35-45 kg               |             | 40                |

| TC50MINI 2018-2020     |             |                   |
|------------------------|-------------|-------------------|
|                        | Gabelfedern | Stoßdämpferfedern |
| <i>Standard Federn</i> | 295-330-20  | 47-130-35         |
| Fahrgewicht            |             |                   |
| 15-25 kg               | 1,8         | 30                |
| 25-35 kg               | <b>STD</b>  | <b>STD</b>        |
| 35-45 kg               | 2,2         | 40                |

| TC65 2018-2020         |              |                  |
|------------------------|--------------|------------------|
|                        | Gabelfedern  | Stoßdämpferfeder |
| <i>Standard Federn</i> | LUFTGABEL    | 47-210-40        |
| Fahrgewicht            |              |                  |
| 25-30 kg               |              | N/A              |
| 30-35 kg               |              | 30               |
| 35-40 kg               |              | 35               |
| 40-45 kg               | <b>3 bar</b> | <b>STD</b>       |
| 45-50 kg               |              | 45               |
| 50-55 kg               |              | 50               |
| 50-55 kg               |              | N/A              |

| TC85 2014-2017         |             |                   |
|------------------------|-------------|-------------------|
|                        | Gabelfedern | Stoßdämpferfedern |
| <i>Standard Federn</i> | 38-425-34   | 59-220-35         |
| Fahrgewicht            |             |                   |
| 30-35 kg               | 2,8         | N/A               |
| 35-40 kg               | 3,0         | 30                |
| 40-45 kg               | 3,2         | 30                |
| 45-50 kg               | <b>STD</b>  | <b>STD</b>        |
| 50-55 kg               | <b>STD</b>  | <b>STD</b>        |
| 55-60 kg               | 3,6         | 40                |
| 60-65 kg               | 3,8         | 45                |
| 65-70 kg               | 4,0         | 50                |
| 70-75 kg               | 4,2         | 55                |
| 75-80 kg               | 4,4         | 60                |

Hinweis:

Fahrgewicht = Fahrfertig mit Schutzkleidung

| TC85 2018-2020         |             |                   |
|------------------------|-------------|-------------------|
|                        | Gabelfedern | Stoßdämpferfedern |
| <i>Standard Federn</i> | AER 43      | 59-220-35         |
| Fahrgewicht            |             |                   |
| 30-35 kg               |             | N/A               |
| 35-40 kg               |             | 30                |
| 40-45 kg               |             | 35                |
| 45-50 kg               |             | <b>STD</b>        |
| 50-55 kg               |             | <b>STD</b>        |
| 55-60 kg               |             | 45                |
| 60-65 kg               |             | 50                |
| 65-70 kg               |             | 55                |
| 70-75 kg               |             | 60                |
| 75-80 kg               |             | 66*               |

\*Art.Nr.: 60-225-66

| TC85 2018-2020         |                       |                   |
|------------------------|-----------------------|-------------------|
|                        | Gabelfedern           | Stoßdämpferfedern |
| <i>Standard Federn</i> | 385-580-64            | 59-220-35         |
| Fahrgewicht            |                       |                   |
|                        | <b>K-TECH</b>         |                   |
|                        | <b>GABELFEDER-KIT</b> |                   |
| 30-35 kg               | 5,2                   | N/A               |
| 35-40 kg               | 5,6                   | 30                |
| 40-45 kg               | 6,0                   | 35                |
| 45-50 kg               | <b>STD</b>            | <b>STD</b>        |
| 50-55 kg               | <b>STD</b>            | <b>STD</b>        |
| 55-60 kg               | 6,8                   | 45                |
| 60-65 kg               | 7,2                   | 50                |
| 65-70 kg               | 7,6                   | 55                |
| 70-75 kg               | n/a                   | 60                |
| 75-80 kg               | n/a                   | 66*               |

\*Art.Nr.: 60-225-66

| TC125 2014             |             |                   |
|------------------------|-------------|-------------------|
|                        | Gabelfedern | Stoßdämpferfedern |
| <i>Standard Federn</i> | 435-485-44  | 63-260-48         |
| Fahrgewicht            |             |                   |
| 45-55 Kg               | 3,8         | N/A               |
| 55-65 Kg               | 4,0         | 44                |
| 65-75 Kg               | 4,2         | 46                |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg               | 4,6         | 50                |
| 95-105 Kg              | 4,8         | 52                |
| 105-115 Kg             | 5,0         | 54                |
| 115-125 Kg             | 5,2         | 56                |

Hinweis:

Fahrgewicht = Fahrfertig mit Schutzkleidung

| TC125 2015             |             |                   |
|------------------------|-------------|-------------------|
|                        | Gabelfedern | Stoßdämpferfedern |
| <i>Standard Federn</i> | 435-470-44  | 63-260-48         |
| Fahrgewicht            |             |                   |
| 45-55 Kg               | 3,8         | N/A               |
| 55-65 Kg               | 4,0         | 44                |
| 65-75 Kg               | 4,2         | 46                |
| 75-85 Kg               | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg               | 4,6         | 50                |
| 95-105 Kg              | 4,8         | 52                |
| 105-115 Kg             | 5,0         | 54                |
| 115-125 Kg             | 5,2         | 56                |



WWW.S-TECH-RACING.DE

## HUSQVARNA (ab 2014)

| TC125 2016      |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-42  | 63-260-42         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 3,6         | 36                |
| 55-65 Kg        | 3,8         | 38                |
| 65-75 Kg        | 4,0         | 40                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,4         | 44                |
| 95-105 Kg       | 4,6         | 46                |
| 105-115 Kg      | 4,8         | 48                |
| 115-125 Kg      | 5,0         | 50                |

| TC125 2017-2020 |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | AER 48      | 63-260-39         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        |             | 36                |
| 55-65 Kg        |             | 36                |
| 65-75 Kg        |             | 38                |
| 75-85 Kg        | 8,2 bar     | <b>STD</b>        |
| 85-95 Kg        |             | 42                |
| 95-105 Kg       |             | 44                |
| 105-115 Kg      |             | 46                |
| 115-125 Kg      |             | 48                |

| TC250 2014      |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-485-46  | 63-260-54         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 4,0         | 48                |
| 55-65 Kg        | 4,2         | 50                |
| 65-75 Kg        | 4,4         | 52                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,8         | 56                |
| 95-105 Kg       | 5,0         | 58                |
| 105-115 Kg      | 5,2         | 60                |
| 115-125 Kg      | 5,4         | 62                |

| TC250 2015-2016 |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-46  | 63-260-54         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 4,0         | 48                |
| 55-65 Kg        | 4,2         | 50                |
| 65-75 Kg        | 4,4         | 52                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,8         | 56                |
| 95-105 Kg       | 5,0         | 58                |
| 105-115 Kg      | 5,2         | 60                |
| 115-125 Kg      | 5,2         | 62                |

| TC250 2017-2020 |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | AER 48      | 63-260-42         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        |             | 36                |
| 55-65 Kg        |             | 38                |
| 65-75 Kg        |             | 40                |
| 75-85 Kg        | 10,2 bar    | <b>STD</b>        |
| 85-95 Kg        |             | 44                |
| 95-105 Kg       |             | 46                |
| 105-115 Kg      |             | 48                |
| 115-125 Kg      |             | 50                |

| FC250 2014      |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-485-46  | 63-260-54         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 4,0         | 48                |
| 55-65 Kg        | 4,2         | 50                |
| 65-75 Kg        | 4,4         | 52                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,8         | 56                |
| 95-105 Kg       | 5,0         | 58                |
| 105-115 Kg      | 5,2         | 60                |
| 115-125 Kg      | 5,4         | 62                |

| FC250 2015      |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-46  | 63-260-54         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 4,0         | 48                |
| 55-65 Kg        | 4,2         | 50                |
| 65-75 Kg        | 4,4         | 52                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,8         | 56                |
| 95-105 Kg       | 5,0         | 58                |
| 105-115 Kg      | 5,2         | 60                |
| 115-125 Kg      | 5,2         | 62                |

| FC250 2016      |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-46  | 63-260-45         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 4,0         | 38                |
| 55-65 Kg        | 4,2         | 40                |
| 65-75 Kg        | 4,4         | 42                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,8         | 46                |
| 95-105 Kg       | 5,0         | 48                |
| 105-115 Kg      | 5,2         | 50                |
| 115-125 Kg      | N/A         | 52                |

**Hinweis:**

Fahrgewicht = Fahrfertig mit Schutzkleidung



WWW.S-TECH-RACING.DE

## HUSQVARNA (ab 2014)

| FC250 2017-2020 |          |                                |
|-----------------|----------|--------------------------------|
| Standard Federn | AER 48   | Stoßdämpferfedern<br>63-260-42 |
| Fahrgewicht     |          |                                |
| 45-55 Kg        |          | 36                             |
| 55-65 Kg        |          | 38                             |
| 65-75 Kg        |          | 40                             |
| 75-85 Kg        | 10,6 bar | <b>STD</b>                     |
| 85-95 Kg        |          | 44                             |
| 95-105 Kg       |          | 46                             |
| 105-115 Kg      |          | 48                             |
| 115-125 Kg      |          | 50                             |

| FC350 2014      |                           |                                |
|-----------------|---------------------------|--------------------------------|
| Standard Federn | Gabelfedern<br>435-485-48 | Stoßdämpferfedern<br>63-260-57 |
| Fahrgewicht     |                           |                                |
| 45-55 Kg        | 4,2                       | 48                             |
| 55-65 Kg        | 4,4                       | 50                             |
| 65-75 Kg        | 4,6                       | 52                             |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                     |
| 85-95 Kg        | 5,0                       | 58                             |
| 95-105 Kg       | 5,2                       | 60                             |
| 105-115 Kg      | 5,4                       | 62                             |
| 115-125 Kg      | 5,4                       | 64                             |

| FC350 2015      |                           |                                |
|-----------------|---------------------------|--------------------------------|
| Standard Federn | Gabelfedern<br>435-470-48 | Stoßdämpferfedern<br>63-260-57 |
| Fahrgewicht     |                           |                                |
| 45-55 Kg        | 4,2                       | 48                             |
| 55-65 Kg        | 4,4                       | 50                             |
| 65-75 Kg        | 4,6                       | 52                             |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                     |
| 85-95 Kg        | 5,0                       | 58                             |
| 95-105 Kg       | 5,2                       | 60                             |
| 105-115 Kg      | 5,4                       | 62                             |
| 115-125 Kg      | N/A                       | 64                             |

| FC350 2016      |                           |                                |
|-----------------|---------------------------|--------------------------------|
| Standard Federn | Gabelfedern<br>435-470-48 | Stoßdämpferfedern<br>63-260-48 |
| Fahrgewicht     |                           |                                |
| 45-55 Kg        | 4,2                       | 42                             |
| 55-65 Kg        | 4,4                       | 44                             |
| 65-75 Kg        | 4,6                       | 46                             |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                     |
| 85-95 Kg        | 5,0                       | 50                             |
| 95-105 Kg       | 5,2                       | 52                             |
| 105-115 Kg      | 5,4                       | 54                             |
| 115-125 Kg      | N/A                       | 56                             |

| FC350 2017-2020 |          |                                |
|-----------------|----------|--------------------------------|
| Standard Federn | AER 48   | Stoßdämpferfedern<br>63-260-42 |
| Fahrgewicht     |          |                                |
| 45-55 Kg        |          | 36                             |
| 55-65 Kg        |          | 38                             |
| 65-75 Kg        |          | 40                             |
| 75-85 Kg        | 10,6 bar | <b>STD</b>                     |
| 85-95 Kg        |          | 44                             |
| 95-105 Kg       |          | 46                             |
| 105-115 Kg      |          | 48                             |
| 115-125 Kg      |          | 50                             |

| FC450 2014      |                           |                                |
|-----------------|---------------------------|--------------------------------|
| Standard Federn | Gabelfedern<br>435-485-50 | Stoßdämpferfedern<br>63-260-57 |
| Fahrgewicht     |                           |                                |
| 45-55 Kg        | 4,4                       | 48                             |
| 55-65 Kg        | 4,6                       | 50                             |
| 65-75 Kg        | 4,8                       | 52                             |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                     |
| 85-95 Kg        | 5,2                       | 58                             |
| 95-105 Kg       | 5,4                       | 60                             |
| 105-115 Kg      | 5,4                       | 62                             |
| 115-125 Kg      | 5,4                       | 64                             |

| FC450 2015      |                           |                                |
|-----------------|---------------------------|--------------------------------|
| Standard Federn | Gabelfedern<br>435-470-48 | Stoßdämpferfedern<br>63-260-57 |
| Fahrgewicht     |                           |                                |
| 45-55 Kg        | 4,2                       | 48                             |
| 55-65 Kg        | 4,4                       | 50                             |
| 65-75 Kg        | 4,6                       | 52                             |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                     |
| 85-95 Kg        | 5,0                       | 58                             |
| 95-105 Kg       | 5,2                       | 60                             |
| 105-115 Kg      | 5,2                       | 62                             |
| 115-125 Kg      | 5,2                       | 64                             |

| FC450 2016      |                           |                                |
|-----------------|---------------------------|--------------------------------|
| Standard Federn | Gabelfedern<br>435-470-48 | Stoßdämpferfedern<br>63-260-48 |
| Fahrgewicht     |                           |                                |
| 45-55 Kg        | 4,2                       | 42                             |
| 55-65 Kg        | 4,4                       | 44                             |
| 65-75 Kg        | 4,6                       | 46                             |
| 75-85 Kg        | <b>STD</b>                | <b>STD</b>                     |
| 85-95 Kg        | 5,0                       | 50                             |
| 95-105 Kg       | 5,2                       | 52                             |
| 105-115 Kg      | 5,4                       | 54                             |
| 115-125 Kg      | N/A                       | 56                             |

**Hinweis:**

Fahrgewicht = Fahrfertig mit Schutzkleidung



WWW.S-TECH-RACING.DE



## HUSQVARNA (ab 2014)

| FC450 2017-2020 |           |                   |
|-----------------|-----------|-------------------|
| Standard Federn |           | Stoßdämpferfedern |
| AER 48          | 63-260-45 |                   |
| Fahrgewicht     |           |                   |
| 45-55 Kg        |           | 40                |
| 55-65 Kg        |           | 42                |
| 65-75 Kg        |           | 44                |
| 75-85 Kg        | 10,8 bar  | <b>STD</b>        |
| 85-95 Kg        |           | 48                |
| 95-105 Kg       |           | 50                |
| 105-115 Kg      |           | 52                |
| 115-125 Kg      |           | 54                |

| TE125 2014-2015 |            |                   |
|-----------------|------------|-------------------|
| Standard Federn |            | Stoßdämpferfedern |
| 435-470-38      | 63-260-51  |                   |
| Fahrgewicht     |            |                   |
| 45-55 Kg        | N/A        | 46                |
| 55-65 Kg        | N/A        | 48                |
| 65-75 Kg        | 3,6        | 50                |
| 75-85 Kg        | <b>STD</b> | <b>STD</b>        |
| 85-95 Kg        | 4,0        | 52                |
| 95-105 Kg       | 4,2        | 54                |
| 105-115 Kg      | 4,4        | 56                |
| 115-125 Kg      | 4,6        | 58                |

| TE125 2016      |            |                   |
|-----------------|------------|-------------------|
| Standard Federn |            | Stoßdämpferfedern |
| 435-470-42      | 63-260-51  |                   |
| Fahrgewicht     |            |                   |
| 45-55 Kg        | 3,6        | 46                |
| 55-65 Kg        | 3,8        | 48                |
| 65-75 Kg        | 4,0        | 50                |
| 75-85 Kg        | <b>STD</b> | <b>STD</b>        |
| 85-95 Kg        | 4,4        | 52                |
| 95-105 Kg       | 4,6        | 54                |
| 105-115 Kg      | 4,8        | 56                |
| 115-125 Kg      | 5,0        | 58                |

| TX125/TE150 2017-2019 |            |                   |
|-----------------------|------------|-------------------|
| Standard Federn       |            | Stoßdämpferfedern |
| 435-470-40            | 63-260-42  |                   |
| Fahrgewicht           |            |                   |
| 45-55 Kg              | 3,6        | 36                |
| 55-65 Kg              | 3,6        | 38                |
| 65-75 Kg              | 3,8        | 40                |
| 75-85 Kg              | <b>STD</b> | <b>STD</b>        |
| 85-95 Kg              | 4,2        | 44                |
| 95-105 Kg             | 4,4        | 46                |
| 105-115 Kg            | 4,6        | 48                |
| 115-125 Kg            | 4,8        | 50                |

| TE250/300 2014-2016 |            |                   |
|---------------------|------------|-------------------|
| Standard Federn     |            | Stoßdämpferfedern |
| 435-470-42          | 63-260-54  |                   |
| Fahrgewicht         |            |                   |
| 45-55 Kg            | 3,6        | 48                |
| 55-65 Kg            | 3,8        | 50                |
| 65-75 Kg            | 4,0        | 52                |
| 75-85 Kg            | <b>STD</b> | <b>STD</b>        |
| 85-95 Kg            | 4,4        | 56                |
| 95-105 Kg           | 4,6        | 58                |
| 105-115 Kg          | 4,8        | 60                |
| 115-125 Kg          | 5,0        | 62                |

| TE250/300 2017  |            |                   |
|-----------------|------------|-------------------|
| Standard Federn |            | Stoßdämpferfedern |
| 435-470-42      | 63-260-45  |                   |
| Fahrgewicht     |            |                   |
| 45-55 Kg        | 3,6        | 40                |
| 55-65 Kg        | 3,8        | 42                |
| 65-75 Kg        | 4,0        | 44                |
| 75-85 Kg        | <b>STD</b> | <b>STD</b>        |
| 85-95 Kg        | 4,4        | 48                |
| 95-105 Kg       | 4,6        | 50                |
| 105-115 Kg      | 4,8        | 52                |
| 115-125 Kg      | 5,0        | 54                |

| TE250/300 2018-2019 |            |                   |
|---------------------|------------|-------------------|
| Standard Federn     |            | Stoßdämpferfedern |
| 435-470-42          | 63-260-48  |                   |
| Fahrgewicht         |            |                   |
| 45-55 Kg            | 3,6        | 42                |
| 55-65 Kg            | 3,8        | 44                |
| 65-75 Kg            | 4,0        | 46                |
| 75-85 Kg            | <b>STD</b> | <b>STD</b>        |
| 85-95 Kg            | 4,4        | 50                |
| 95-105 Kg           | 4,6        | 52                |
| 105-115 Kg          | 4,8        | 54                |
| 115-125 Kg          | 5,0        | 56                |

| FE250/350 2014-2015 |            |                   |
|---------------------|------------|-------------------|
| Standard Federn     |            | Stoßdämpferfedern |
| 435-470-42          | 63-260-54  |                   |
| Fahrgewicht         |            |                   |
| 45-55 Kg            | 3,6        | 48                |
| 55-65 Kg            | 3,8        | 50                |
| 65-75 Kg            | 4,0        | 52                |
| 75-85 Kg            | <b>STD</b> | <b>STD</b>        |
| 85-95 Kg            | 4,4        | 56                |
| 95-105 Kg           | 4,6        | 58                |
| 105-115 Kg          | 4,8        | 60                |
| 115-125 Kg          | 5,0        | 62                |

**Hinweis:**

Fahrgewicht = Fahrfertig mit Schutzkleidung



WWW.S-TECH-RACING.DE

## HUSQVARNA (ab 2014)

| FE250/350 2016  |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-44  | 63-260-54         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 3,8         | 48                |
| 55-65 Kg        | 4,0         | 50                |
| 65-75 Kg        | 4,2         | 52                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,6         | 56                |
| 95-105 Kg       | 4,8         | 58                |
| 105-115 Kg      | 5,0         | 60                |
| 115-125 Kg      | 5,2         | 62                |

| FE250/350 2017  |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-44  | 63-260-45         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 3,8         | 40                |
| 55-65 Kg        | 4,0         | 42                |
| 65-75 Kg        | 4,2         | 44                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,6         | 48                |
| 95-105 Kg       | 4,8         | 50                |
| 105-115 Kg      | 5,0         | 52                |
| 115-125 Kg      | 5,2         | 54                |

| FE250/350 2018  |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-44  | 63-260-48         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 3,8         | 42                |
| 55-65 Kg        | 4,0         | 44                |
| 65-75 Kg        | 4,2         | 46                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,6         | 50                |
| 95-105 Kg       | 4,8         | 52                |
| 105-115 Kg      | 5,0         | 54                |
| 115-125 Kg      | 5,2         | 56                |

| FE250 2019      |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-44  | 63-260-48         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 3,8         | 42                |
| 55-65 Kg        | 4,0         | 44                |
| 65-75 Kg        | 4,2         | 46                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,6         | 50                |
| 95-105 Kg       | 4,8         | 52                |
| 105-115 Kg      | 5,0         | 54                |
| 115-125 Kg      | 5,2         | 56                |

| FE350 2019      |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-46  | 63-260-48         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 3,8         | 42                |
| 55-65 Kg        | 4,0         | 44                |
| 65-75 Kg        | 4,2         | 46                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,8         | 50                |
| 95-105 Kg       | 5,0         | 52                |
| 105-115 Kg      | 5,2         | 54                |
| 115-125 Kg      | 5,4         | 56                |

| FE450/501 2014-2015 |             |                   |
|---------------------|-------------|-------------------|
|                     | Gabelfedern | Stoßdämpferfedern |
| Standard Federn     | 435-470-44  | 63-260-57         |
| Fahrgewicht         |             |                   |
| 45-55 Kg            | 3,8         | 50                |
| 55-65 Kg            | 4,0         | 52                |
| 65-75 Kg            | 4,2         | 54                |
| 75-85 Kg            | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg            | 4,6         | 58                |
| 95-105 Kg           | 4,8         | 60                |
| 105-115 Kg          | 5,0         | 62                |
| 115-125 Kg          | 5,2         | 64                |

| FE450/501 2016  |             |                   |
|-----------------|-------------|-------------------|
|                 | Gabelfedern | Stoßdämpferfedern |
| Standard Federn | 435-470-46  | 63-260-57         |
| Fahrgewicht     |             |                   |
| 45-55 Kg        | 3,8         | 50                |
| 55-65 Kg        | 4,0         | 52                |
| 65-75 Kg        | 4,2         | 54                |
| 75-85 Kg        | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg        | 4,8         | 58                |
| 95-105 Kg       | 5,0         | 60                |
| 105-115 Kg      | 5,2         | 62                |
| 115-125 Kg      | 5,4         | 64                |

| FE450/501 2017-2019 |             |                   |
|---------------------|-------------|-------------------|
|                     | Gabelfedern | Stoßdämpferfedern |
| Standard Federn     | 435-470-46  | 63-260-48         |
| Fahrgewicht         |             |                   |
| 45-55 Kg            | 4,0         | 42                |
| 55-65 Kg            | 4,2         | 44                |
| 65-75 Kg            | 4,4         | 46                |
| 75-85 Kg            | <b>STD</b>  | <b>STD</b>        |
| 85-95 Kg            | 4,8         | 50                |
| 95-105 Kg           | 5,0         | 52                |
| 105-115 Kg          | 5,2         | 54                |
| 115-125 Kg          | 5,4         | 56                |

**Hinweis:**

Fahrgewicht = Fahrfertig mit Schutzkleidung



WWW.S-TECH-RACING.DE